U.S.S.N. 10/708,252

2

04636 (LC 0146 PUS)

In the claims:

- 1. (Currently Amended) A message board system for a vehicle comprising:
- a message board configured to be coupled to integrally formed as part of and at least partially contained within a vehicle structure comprising;
 - a first layer; and
- a second layer residing adjacent said first layer and configured such that at least a portion of said first layer adheres to said second layer to form an image in response to applied <u>handwritten</u> pressure on said first layer.
- (Previously Presented) A system as in claim 1 further comprising an eraser member residing between said first layer and said second layer.
- 3. (Previously Presented) A system as in claim 2 wherein said eraser member separates said first layer from said second layer upon passing said eraser member across said message board.
- 4. (Previously Presented) A system as in claim 1 wherein said vehicle structure is selected from at least one of a visor, a console, a door, an instrument panel, a dashboard, and an arm rest.
- 5. (Currently Amended) A system as in claim 1 <u>further</u> comprising wherein said vehicle structure comprises a mirror coupled to said vehicle structure and operative relative to said message board.
- 6. (Previously Presented) A system as in claim 5 wherein said mirror is exchangeable with said message board to be in a forefront orientation.
- 7. (Previously Presented) A system as in claim 6 wherein said message board covers at least a portion of said mirror when in said forefront orientation.
- 8. (Previously Presented) A system as in claim 6 wherein said mirror covers at least a portion of said message board when in said forefront orientation.

P.04/12

- A system as in claim 1 wherein said first 9. (Previously Presented) layer comprises a material selected from at least one of a wax, a resin-type material, a vinyl, a polymer, an elastomeric material, a non-elastomeric material, and a urethane composite material.
- A system as in claim 1 wherein said 10. (Previously Presented) second layer is selected from at least one of a mylar-type material or a vinyl-type material.
- (Currently Amended) A message board system for a visor of 11. for a vehicle comprising:
- a message board contained at least partially within configured to couple the visor <u>and</u> comprising;

a first layer; and

- a second layer residing adjacent said first layer and configured such that at least a portion of said first layer adheres to said second layer in response to applied handwritten pressure on said first layer.
- A system as in claim 11 further 12. (Currently Amended) comprising a mirror coupled to the visor.
- 13. (Previously Presented) A system as in claim 12 further comprising an exchange mechanism actuatable to switch between said message board and said mirror.
- A system as in claim 13 wherein said 14. (Previously Presented) exchange mechanism is in the form of a slider.

15-20. (Canceled)

- A system as in claim 1 wherein said vehicle structure 21. (New) has a deployed state and a stowed state.
- 22. (New) A system as in claim 21 wherein said message board is viewable when said vehicle structure is in said deployed state.
- 23. (New) A system as in claim 2 further comprising at least one guide rail, said eraser member actuatable on said at least one guide rail.

U.S.S.N. 10/708,252

4

04636 (LC 0146 PUS)

- 24. (New) A system as in claim 5 wherein said message board is actuatable relative to said vehicle structure.
- 25. (New) A system as in claim 5 wherein said mirror is actuatable relative to said vehicle structure.
- 26. (New) A system as in claim 5 further comprising at least one guide rail, said message board and said mirror actuatable relative to each other on said at least one guide rail.
- 27. (New) A system as in claim 26 wherein said at least one guide rail is contained within said vehicle structure.